



Steroids and Hormones

For Qualification and Quantitation



Steroids and hormones play vital roles in the regulation of a diverse array of cellular functions and physiological processes. These pertain to development, reproduction, homeostasis, and metabolism, among others. Accurate quantification of this compound class is essential for basic and clinical translation research. This can be achieved by spiking an isotopically labeled steroid standard(s) into a sample of interest, such as plasma or urine, with measurement performed by an MS- or NMR-based approach.

CIL offers a variety of stable isotope-labeled and unlabeled steroids and hormones. These are available in different labeling patterns in their neat and/or solution forms. See isotope.com for a complete listing and unit sizes.

| Catalog No. | Description | Concentration |
|-------------|---|---------------------------|
| DLM-10472-C | Aldosterone (9,11,12,12-D ₄ , 98%) CP 97% | 100 µg/mL in acetonitrile |
| DLM-8438-C | Aldosterone (2,2,4,6,6,17,21,21-D ₈) | 100 µg/mL in acetonitrile |
| DLM-8438 | Aldosterone (2,2,4,6,6,17,21,21-D ₈) | neat |
| ULM-9134-C | Aldosterone (unlabeled) | 100 µg/mL in acetonitrile |
| ULM-9134 | Aldosterone (unlabeled) CP 95% | neat |
| DLM-10269 | 5α-Androstan-3β-ol-17-one (epiandrosterone) (2,2,4,4-D ₄ , 98%) | neat |
| ULM-10270 | 5α-Androstan-3β-ol-17-one (epiandrosterone) (unlabeled) | neat |
| CLM-10548 | 5α-Androstan-3,17-dione (androstenedione) (2,3,4- ¹³ C ₃ , 98%) | neat |
| ULM-8794-C | 5α-Androstan-3,17-dione (androstenedione) (unlabeled) CP 95% | 100 µg/mL in methanol |
| ULM-8794 | 5α-Androstan-3,17-dione (androstenedione) (unlabeled) | neat |
| DLM-8750 | 5β-Androstan-3α-ol-17-one (etiocholanolone) (16,16-D ₂ , 98%) | neat |
| DLM-10008-C | 5β-Androstan-3α-ol-17-one (etiocholanolone) (2,2,3,4,4-D ₅ , 98%) | 100 µg/mL in methanol |
| DLM-10008 | 5β-Androstan-3α-ol-17-one (etiocholanolone) (2,2,3,4,4-D ₅ , 98%) | neat |
| ULM-10009-C | 5β-Androstan-3α-ol-17-one (etiocholanolone) (unlabeled) | 100 µg/mL in methanol |
| ULM-10009 | 5β-Androstan-3α-ol-17-one (etiocholanolone) (unlabeled) | neat |
| DLM-9769-C | 5α-Androstan-3α,17β-diol (16,16,17-D ₃ , 98%) CP 95% | 100 µg/mL in methanol |
| DLM-9769 | 5α-Androstan-3α,17β-diol (16,16,17-D ₃ , 98%) CP 95% | neat |
| ULM-9752-C | 5α-Androstan-3α,17β-diol (unlabeled) | 100 µg/mL in methanol |
| ULM-9752 | 5α-Androstan-3α,17β-diol (unlabeled) | neat |
| ULM-10732 | 5α-Androstan-3β,17β-diol (unlabeled) | neat |
| DLM-9787 | Androstanediol glucuronide, sodium salt (16,16,17-D ₃ , 98%) CP 97% | neat |
| DLM-10396 | 4-Androsten-11β-ol-3,17-dione (9,11,12,12-D ₄ , 98%) | neat |
| DLM-9697 | 4-Androsten-11β-ol-3,17-dione (2,2,4,6,6,16,16-D ₇ , 98%) | neat |

Chemical purity (CP) is 98% or greater, unless otherwise specified. MPT (microbiological and pyrogen tested) may be available; please inquire. For research use only. Not for use in diagnostic procedures.

| Catalog No. | Description | Concentration |
|---------------|--|--------------------------------|
| DLM-10397 | 4-Androsten-11 β -17 β -diol-3-one (9,11,12,12-D ₄ , 98%) CP 95% | neat |
| DLM-10401-1.2 | 5-Androsten-3 β -17 β -diol (16,16,17-D ₃ , 98%) CP 95% | 100 μ g/mL in methanol |
| DLM-10401 | 5-Androsten-3 β -17 β -diol (16,16,17-D ₃ , 98%) CP 95% | neat |
| CLM-9135-D | 4-Androstene-3,17-dione (2,3,4- ¹³ C ₃ , 98%) | 1000 μ g/mL in methanol |
| CLM-9135-C | 4-Androstene-3,17-dione (2,3,4- ¹³ C ₃ , 98%) | 100 μ g/mL in methanol |
| CLM-9135 | 4-Androstene-3,17-dione (2,3,4- ¹³ C ₃ , 98%) | 100 μ g/mL in methanol |
| DLM-8330 | 4-Androstene-3,17-dione (2,2,4,6,6-D ₅ , 98%) | neat |
| DLM-7976 | 4-Androstene-3,17-dione (2,2,4,6,6,16,16-D ₇ , 97%) | neat |
| ULM-8472 | 4-Androstene-3,17-dione (unlabeled) | neat |
| DLM-10420-C | 4-Androstene-6 β ,17 β -diol-3-one (16,16,17-D ₃ , 98%) CP 95% | 100 μ g/mL in methanol |
| DLM-10420 | 4-Androstene-6 β ,17 β -diol-3-one (16,16,17-D ₃ , 98%) | neat |
| DLM-11248 | 11-keto-Androstenedione (11-KA4) (D ₁₀ , 90%) CP 95% | neat |
| DLM-7937 | Androsterone (5 α -androstan-3 α -ol-17-one) (16,16-D ₂ , 98%) | neat |
| DLM-10402-C | Androsterone (5 α -androstan-3 α -ol-17-one) (2,2,4,4-D ₄ , 98%) | 100 μ g/mL in methanol |
| DLM-10402 | Androsterone (5 α -androstan-3 α -ol-17-one) (2,2,4,4-D ₄ , 98%) CP 95% | neat |
| ULM-10403-C | Androsterone (5 α -androstan-3 α -ol-17-one) (unlabeled) | 100 μ g/mL in methanol |
| ULM-10403 | Androsterone (5 α -androstan-3 α -ol-17-one) (unlabeled) | neat |
| DLM-9137 | Androsterone glucuronide, sodium salt (2,2,4,4-D ₄ , 98%) | neat |
| ULM-9138 | Androsterone glucuronide, sodium salt (unlabeled) | neat |
| DLM-4700 | 5 α -Cholestane (5 α -cholane) (3,3-D ₂ , 98%) | neat |
| DLM-8276 | Cholestenone (2,2,4,6,6-D ₅ , 98%) | neat |
| CLM-804 | Cholesterol (3,4- ¹³ C ₂ , 99%) | neat |
| CLM-9139-C | Cholesterol (2,3,4- ¹³ C ₃ , 98%) | 100 μ g/mL in ethanol |
| CLM-9139-B | Cholesterol (2,3,4- ¹³ C ₃ , 98%) | 50 μ g/mL in ethanol |
| CLM-9139 | Cholesterol (2,3,4- ¹³ C ₃ , 99%) | neat |
| CLM-9587-1.2 | Cholesterol (23,24,25,26,27- ¹³ C ₅ , 99%) | 100 μ g/mL in methanol |
| CLM-9587 | Cholesterol (23,24,25,26,27- ¹³ C ₅ , 99%) | neat |
| DLM-1831 | Cholesterol (3-D, 97%) | neat |
| DLM-7260 | Cholesterol (25,26,26,26-D ₄ , 98%) | neat |
| DLM-2607-C | Cholesterol (2,2,3,4,4,6-D ₆ , 97-98%) CP 97% | 100 μ g/mL in ethanol |
| DLM-2607 | Cholesterol (2,2,3,4,4,6-D ₆ , 97-98%) | neat |
| DLM-3057 | Cholesterol (25,26,26,26,27,27,27-D ₇ , 98%) | neat |
| OLM-7695 | Cholesterol (¹⁸ O, 95%) | neat |
| ULM-9140-1.2 | Cholesterol (unlabeled) | 100 μ g/mL in methanol |
| ULM-9140 | Cholesterol (unlabeled) CP 97% | neat |
| CLM-3361 | Cholesterol-3-octanoate (octanoate-1- ¹³ C, 99%) | neat |
| DLM-10416 | Cholesterol-3-sulfate, sodium salt (25,26,26,26,27,27,27-D ₇ , 98%) | neat |
| DLM-11017-C | Corticosterone (9,11,12,12-D ₄ , 98%) CP 97% | 100 μ g/mL in acetonitrile |
| DLM-11017 | Corticosterone (9,11,12,12-D ₄ , 98%) | neat |
| DLM-7347 | Corticosterone (2,2,4,6,6,17 α ,21,21-D ₈ , 97-98%) | neat |
| ULM-9988-C | Corticosterone (unlabeled) | 100 μ g/mL in acetonitrile |
| ULM-9988 | Corticosterone (unlabeled) | neat |
| CLM-10371-C | Cortisol (2,3,4- ¹³ C ₃ , 99%) | 100 μ g/mL in methanol |
| DLM-2615 | Cortisol (1,2-D ₂ , 98%) | neat |
| DLM-2057 | Cortisol (9,12,12-D ₃ , 98%) | neat |
| DLM-2218 | Cortisol (9,11,12,12-D ₄ , 98%) | neat |
| ULM-9141 | Cortisol (unlabeled) | neat |
| DLM-10471 | Cortisol-21-sulfate, sodium salt (9,11,12,12-D ₄ , 98%) CP 95% | neat |
| CLM-10536-C | Cortisone (2,3,4- ¹³ C ₃ , 98%) CP 97% | 100 μ g/mL in methanol |
| DLM-8863 | Cortisone (1,2-D ₂ , 98%) CP 95% | neat |
| DLM-9142-C | Cortisone (2,2,4,6,6,12,12-D ₇ , 98%) | 100 μ g/mL in methanol |
| DLM-9976 | Cortisone (2,2,4,6,6,9,12,12-D ₈ , 98%) | neat |
| ULM-9202-C | Cortisone (unlabeled) | 100 μ g/mL in methanol |
| ULM-9202 | Cortisone (unlabeled) | neat |

Chemical purity (CP) is 98% or greater, unless otherwise specified. MPT (microbiological and pyrogen tested) may be available; please inquire.
For research use only. Not for use in diagnostic procedures.

| Catalog No. | Description | Concentration |
|---------------|--|--|
| CLM-10537-C | Cortisone 21-sulfate, sodium salt (2,3,4- ¹³ C ₃ , 98%) CP 95% | 100 µg/mL in methanol |
| DLM-4216 | 7-Dehydrocholesterol (25,26,26,26,27,27,27-D ₇ , 98%) | neat |
| CLM-10549-C | Dehydroepiandrosterone (DHEA) (2,3,4- ¹³ C ₃ , 99%) | 100 µg/mL in methanol |
| CLM-10549 | Dehydroepiandrosterone (DHEA) (2,3,4- ¹³ C ₃ , 99%) | neat |
| DLM-7714 | Dehydroepiandrosterone (DHEA) (16,16-D ₂ , 97%) | neat |
| DLM-8049-C | Dehydroepiandrosterone (DHEA) (2,2,3,4,4,6-D ₆ , 97%) | 100 µg/mL in methanol |
| DLM-8049 | Dehydroepiandrosterone (DHEA) (2,2,3,4,4,6-D ₆ , 98%) CP 97% | neat |
| ULM-9143-D | Dehydroepiandrosterone (DHEA) (unlabeled) | 1000 µg/mL in methanol |
| ULM-9143-C | Dehydroepiandrosterone (DHEA) (unlabeled) | 100 µg/mL in methanol |
| ULM-9143 | Dehydroepiandrosterone (DHEA) (unlabeled) | neat |
| DLM-8701 | Dehydroepiandrosterone sulfate (DHEAS), sodium salt (16,16-D ₂ , 97%) | neat |
| ULM-9144-D | Dehydroepiandrosterone sulfate (DHEAS), sodium salt (unlabeled) | 1000 µg/mL in methanol |
| ULM-9144-C | Dehydroepiandrosterone sulfate (DHEAS), sodium salt (unlabeled) | 100 µg/mL in methanol |
| ULM-9144 | Dehydroepiandrosterone sulfate (DHEAS), sodium salt (unlabeled) | neat |
| DLM-8337-C | Dehydroepiandrosterone sulfate (DHEAS), sodium salt·2H ₂ O (2,2,3,4,4,6-D ₆ , 95%) | 100 µg/mL in methanol |
| DLM-8337 | Dehydroepiandrosterone sulfate (DHEAS), sodium salt·2H ₂ O (2,2,3,4,4,6-D ₆ , 95%) | neat |
| CLM-10384-C | 11-Deoxycortisol (2,3,4- ¹³ C ₃ , 99%) CP 97% | 100 µg/mL in methanol |
| CLM-10384 | 11-Deoxycortisol (2,3,4- ¹³ C ₃ , 99%) CP 97% | neat |
| DLM-7209 | 11-Deoxycortisol (21,21-D ₂ , 96%) | neat |
| DLM-8336-C | 11-Deoxycortisol (2,2,4,6,6-D ₅ , 98%) | 100 µg/mL in methanol |
| DLM-8336 | 11-Deoxycortisol (2,2,4,6,6-D ₅ , 98%) CP 97% | neat |
| ULM-9145-D | 11-Deoxycortisol (unlabeled) | 1000 µg/mL in methanol |
| ULM-9145-C | 11-Deoxycortisol (unlabeled) | 100 µg/mL in methanol |
| ULM-9145 | 11-Deoxycortisol (unlabeled) | neat |
| DLM-11414 | 21-Deoxycortisol (9,11,11,12-D ₄ , 98%) CP 95% | neat |
| DLM-8305 | 21-Deoxycortisol (2,2,4,6,6,21,21,21-D ₈ , 97%) | neat |
| ULM-9987-C | 21-Deoxycortisol (unlabeled) | 100 µg/ml in methanol |
| ULM-9987 | 21-Deoxycortisol (unlabeled) | neat |
| DLM-170-D-1.2 | Diethylstilbestrol (<i>cis/trans</i> mix) (ring-3,3',5,5'-diethyl-1,1,1',1'-D ₈ , 98%) | 100 µg/mL in dioxane |
| DLM-170 | Diethylstilbestrol (<i>cis/trans</i> mix) (ring-3,3',5,5'-diethyl-1,1,1',1'-D ₈ , 98%) | neat |
| CLM-9146-D | 5α-Dihydrotestosterone (2,3,4- ¹³ C ₃ , 99%) CP 97% | 1000 µg/mL in methanol |
| CLM-9146-C | 5α-Dihydrotestosterone (2,3,4- ¹³ C ₃ , 99%) CP 97% | 100 µg/mL in methanol |
| CLM-9146 | 5α-Dihydrotestosterone (2,3,4- ¹³ C ₃ , 99%) CP 97% | neat |
| DLM-3023 | 5α-Dihydrotestosterone (16,16,17-D ₃ , 98%) | neat |
| DLM-9041 | 5α-Dihydrotestosterone (2,2,4,4-D ₄ , 98%) CP 95% | neat |
| ULM-8364-D | 5α-Dihydrotestosterone (unlabeled) | 1 mg/mL in methanol |
| ULM-8364-C | 5α-Dihydrotestosterone (unlabeled) | 100 µg/mL in methanol |
| ULM-8364 | 5α-Dihydrotestosterone (unlabeled) | neat |
| CLM-9222-C | L-3,3'-Diiodothyronine (T2) (phenoxy- ¹³ C ₆ , 99%) CP 97% | 100 µg/mL in 0.1 N ammonia in methanol |
| CLM-9222 | L-3,3'-Diiodothyronine (T2) (phenoxy- ¹³ C ₆ , 99%) CP 97% | neat |
| ULM-9223-C | L-3,3'-Diiodothyronine (T2) (unlabeled) | 100 µg/mL in 0.1 N ammonia in methanol |
| ULM-9223 | L-3,3'-Diiodothyronine (T2) (unlabeled) | neat |
| CLM-7768 | Epicholesterol (3,4- ¹³ C ₂ , 99%) | neat |
| DLM-9088 | DL-Epinephrine (ring-D ₃ ,1,2,2-D ₃ , 98%) | neat |
| CNLM-7889 | DL-Epinephrine (1,2- ¹³ C ₂ , 99%; ¹⁵ N, 98%) | neat |
| CLM-11416 | Epitestosterone (2,3,4- ¹³ C ₃ , 98%) CP 95% | neat |
| CLM-803-1.2 | Estradiol (3,4- ¹³ C ₂ , 99%) | 100 µg/mL in acetonitrile |
| CLM-803 | Estradiol (3,4- ¹³ C ₂ , 99%) | neat |
| DLM-3694 | Estradiol (16,16,17-D ₃ , 98%) CP 95% | neat |
| DLM-2487 | Estradiol (2,4,16,16-D ₄ , 95-97%) | neat |
| ULM-7449-1.2 | Estradiol (unlabeled) | 100 µg/mL in acetonitrile |
| ULM-7449 | Estradiol (unlabeled) | neat |

Chemical purity (CP) is 98% or greater, unless otherwise specified. MPT (microbiological and pyrogen tested) may be available; please inquire.
For research use only. Not for use in diagnostic procedures.

| Catalog No. | Description | Concentration |
|--------------|---|---------------------------|
| CLM-7936-1.2 | DL-Estradiol (13,14,15,16,17,18- ¹³ C ₆ , 99%) | 100 µg/mL in methanol |
| CLM-7936 | DL-Estradiol (13,14,15,16,17,18- ¹³ C ₆ , 99%) | neat |
| CLM-10404-C | Estradiol undecanoate (2,3,4- ¹³ C ₃ , 98%) CP 95% | 100 µg/mL in methanol |
| CLM-10404 | Estradiol undecanoate (2,3,4- ¹³ C ₃ , 98%) CP 95% | neat |
| CLM-9147-C | Estriol (16 α -hydroxyestradiol) (2,3,4- ¹³ C ₃ , 99%) CP 97% | 100 µg/mL in methanol |
| CLM-9147 | Estriol (16 α -hydroxyestradiol) (2,3,4- ¹³ C ₃ , 99%) CP 97% | neat |
| DLM-8586 | Estriol (2,4,16-D ₃ , 98%) CP 96% | neat |
| DLM-8343 | Estriol (2,4,17-D ₃ , 98%) CP 96% | neat |
| ULM-8218 | Estriol (unlabeled) | neat |
| CLM-673-1.2 | Estrone (3,4- ¹³ C ₂ , 90%) | 100 µg/mL in acetonitrile |
| CLM-673 | Estrone (3,4- ¹³ C ₂ , 99%) | neat |
| CLM-9148-C | Estrone (2,3,4- ¹³ C ₃ , 99%) | 100 µg/mL in methanol |
| CLM-9148-B | Estrone (2,3,4- ¹³ C ₃ , 99%) | 50 µg/mL in methanol |
| CLM-9148 | Estrone (2,3,4- ¹³ C ₃ , 99%) | neat |
| DLM-3976 | Estrone (2,4,16,16-D ₄ , 97%) | neat |
| CLM-7935-1.2 | DL-Estrone (13,14,15,16,17,18- ¹³ C ₆ , 99%) CP 95% | 100 µg/mL in methanol |
| CLM-7935 | DL-Estrone (13,14,15,16,17,18- ¹³ C ₆ , 99%) CP 95% | neat |
| CLM-8033 | DL-Estrone 3-methyl ether (13,14,15,16,17,18- ¹³ C ₆ , 99%) | neat |
| ULM-10356 | Estrone 3-methyl ether (unlabeled) | neat |
| CLM-3375-1.2 | Ethinylestradiol (20,21- ¹³ C ₂ , 99%) CP 97% | 100 µg/mL in acetonitrile |
| ULM-7211-1.2 | Ethinylestradiol (unlabeled) | 100 µg/mL in acetonitrile |
| DLM-4691 | 17 α -Ethinylestradiol (2,4,16,16-D ₄ , 97-98%) | neat |
| CLM-11415 | 7 α -Hydroxy-4-cholest-en-3-one (23,24,25,26,27- ¹³ C ₅ , 98%) CP 95% | neat |
| DLM-8646 | 7 β -Hydroxycholesterol (25,26,26,26,27,27,27-D ₇ , 98%) CP 97% | neat |
| ULM-10267 | 7 α -Hydroxycholesterol (unlabeled) | neat |
| ULM-10268 | 7 β -Hydroxycholesterol (unlabeled) | neat |
| DLM-9150-C | 18-Hydroxycorticosterone (9,11,12,12-D ₄ , 98%) | 100 µg/mL in acetonitrile |
| DLM-9150 | 18-Hydroxycorticosterone (9,11,12,12-D ₄ , 98%) CP 95% | neat |
| ULM-9151-C | 18-Hydroxycorticosterone (unlabeled) CP 95% | 100 µg/mL in methanol |
| ULM-9151 | 18-Hydroxycorticosterone (unlabeled) CP 95% | neat |
| ULM-10007-C | 18-Hydroxycortisol (unlabeled) CP 97% | 100 µg/mL in methanol |
| ULM-10007 | 18-Hydroxycortisol (unlabeled) CP 95% | neat |
| ULM-8134 | 2-Hydroxyestrone (unlabeled) | neat |
| ULM-8261 | 4-Hydroxyestrone (unlabeled) CP 96% | neat |
| CLM-8012 | DL-2-Hydroxyestradiol (13,14,15,16,17,18- ¹³ C ₆ , 99%) | neat |
| ULM-8133 | 2-Hydroxyestrone-3-methyl ether (unlabeled) CP 97% | neat |
| CLM-9153-C | 16 α -Hydroxyestrone (2,3,4- ¹³ C ₃ , 99%) | 100 µg/mL in methanol |
| CLM-9153 | 16 α -Hydroxyestrone (2,3,4- ¹³ C ₃ , 99%) | neat |
| ULM-9152-C | 16 α -Hydroxyestrone (unlabeled) | 100 µg/mL in methanol |
| CLM-8011 | DL-2-Hydroxyestrone (13,14,15,16,17,18- ¹³ C ₆ , 99%) | neat |
| CLM-8016 | DL-2-Hydroxyestrone-3-methyl ether (13,14,15,16,17,18- ¹³ C ₆ , 99%) | neat |
| CLM-8013 | DL-4-Hydroxyestrone (13,14,15,16,17,18- ¹³ C ₆ , 99%) CP 97% | neat |
| DLM-7206 | 17 α -Hydroxypregnенолон (21,21,21-D ₃ , 97%) | neat |
| CDLM-9154-C | 17 α -Hydroxypregnенолон (20,21- ¹³ C ₂ , 98%; 16,16-D ₂ , 98%) | 100 µg/mL in methanol |
| CDLM-9154 | 17 α -Hydroxypregnенолон (20,21- ¹³ C ₂ , 98%; 16,16-D ₂ , 98%) | neat |
| ULM-9155-C | 17 α -Hydroxypregnенолон (unlabeled) | 100 µg/mL in methanol |
| ULM-9155 | 17 α -Hydroxypregnенолон (unlabeled) | neat |
| CLM-9157-D | 17 α -Hydroxyprogesterone (2,3,4- ¹³ C ₃ , 98%) | 1000 µg/mL in methanol |
| CLM-9157-C | 17 α -Hydroxyprogesterone (2,3,4- ¹³ C ₃ , 98%) | 100 µg/mL in methanol |
| CLM-9157 | 17 α -Hydroxyprogesterone (2,3,4- ¹³ C ₃ , 98%) | neat |
| DLM-6598 | 17 α -Hydroxyprogesterone (2,2,4,6,6,21,21,21-D ₈ , 98%) | neat |
| ULM-9156-C | 17 α -Hydroxyprogesterone (unlabeled) CP 95% | 100 µg/mL in methanol |
| ULM-9156 | 17 α -Hydroxyprogesterone (unlabeled) | neat |

Chemical purity (CP) is 98% or greater, unless otherwise specified. MPT (microbiological and pyrogen tested) may be available; please inquire.
For research use only. Not for use in diagnostic procedures.

| Catalog No. | Description | Concentration |
|--------------|---|-----------------------|
| DLM-11248 | 11-Ketoandrostenedione (11-KA4) (D ₁₀ , 98%) CP 95% | neat |
| DLM-8647 | 7-Ketocholesterol (7-KC) (25,26,26,26,27,27,27-D ₇ , 99%) | neat |
| DLM-10395 | 11-Ketotestosterone (11-KT) (16,16,17-D ₃) CP 95% | neat |
| DLM-7101 | Melatonin (acetyl-D ₃ , 98%) | neat |
| DLM-3560 | DL-Metanephrine-HCl (α,β,β-D ₃ , 98%) | neat |
| CLM-8015 | DL-2-Methoxyestradiol (13,14,15,16,17,18- ¹³ C ₆ , 99%) | neat |
| ULM-8137 | DL-2-Methoxyestradiol (unlabeled) | neat |
| CLM-8014 | DL-2-Methoxyestrone (13,14,15,16,17,18- ¹³ C ₆ , 99%) | neat |
| CLM-8017 | DL-4-Methoxyestrone (13,14,15,16,17,18- ¹³ C ₆ , 99%) | neat |
| ULM-8263 | 2-Methoxyestrone (unlabeled) | neat |
| ULM-8262 | 4-Methoxyestrone (unlabeled) | neat |
| DLM-8820 | DL-Norepinephrine-HCl (ring-D ₃ ,1,2,2-D ₃ , 99%) | neat |
| CLM-2468 | Norethindrone (ethynodiol- ¹³ C ₂ , 99%) | neat |
| CLM-9980 | Nestorone (16-methylene- ¹³ C, 20,21- ¹³ C ₂ , 99%) CP 96% | neat |
| DLM-8609 | DL-Normetanephrine-HCl (α,β,β-D ₃ , 98%) | neat |
| DLM-3979-1.2 | 19-Nortestosterone (16,16,17-D ₃ , 98%) | 100 µg/mL in methanol |
| DLM-3979 | 19-Nortestosterone (16,16,17-D ₃ , 98%) | neat |
| ULM-4841-1.2 | 19-Nortestosterone (unlabeled) | 100 µg/mL in methanol |
| DLM-3754 | 5α-Pregn-3α-ol-20-one (17,21,21,21-D ₄ , 96-98%) CP 95% | neat |
| DLM-7492 | 5α-Pregn-3β-ol-20-one (17α,21,21,21-D ₄ , 97%) CP 96% | neat |
| ULM-8242 | 5α-Pregn-3β-ol-20-one (unlabeled) | neat |
| DLM-10969-C | 5α-Pregn-3α,11β,17,21-tetrol-20-one (2,2,3,4,4-D ₅ , 98%) | 100 µg/mL in methanol |
| DLM-10969 | 5α-Pregn-3α,11β,17,21-tetrol-20-one (2,2,3,4,4-D ₅ , 98%) | neat |
| DLM-11010-C | 5α-Pregn-3α,17,21-triol-11,20-dione (2,2,4,4-D ₄ , 98%) | 100 µg/mL in methanol |
| DLM-11010 | 5α-Pregn-3α,17,21-triol-11,20-dione (2,2,4,4-D ₄ , 98%) | neat |
| DLM-11009-C | 5α-Pregn-3α,17,21-triol-11,20-dione (2,2,3,4,4-D ₅ , 98%) | 100 µg/mL in methanol |
| DLM-11009 | 5α-Pregn-3α,17,21-triol-11,20-dione (2,2,3,4,4-D ₅ , 98%) | neat |
| DLM-2294 | 5β-Pregn-3α-ol-20-one (17,21,21,21-D ₄ , 96-98%) | neat |
| DLM-8751 | 5β-Pregn-3α,11β,17α,21-tetrol-20-one (9,11α,12-D ₃ , 95%) | neat |
| DLM-11014-C | 5β-Pregn-3α,11β,17α,21-tetrol-20-one (2,2,3,4,4-D ₅ , 98%) | 100 µg/mL in methanol |
| DLM-11014 | 5β-Pregn-3α,11β,17α,21-tetrol-20-one (2,2,3,4,4-D ₅ , 98%) | neat |
| ULM-11015-C | 5β-Pregn-3α,11β,17α,21-tetrol-20-one (unlabeled) | 100 µg/mL in methanol |
| ULM-11015 | 5β-Pregn-3α,11β,17α,21-tetrol-20-one (unlabeled) | neat |
| DLM-11012-C | 5β-Pregn-3α,11β,21-triol-20-one (2,2,3,4,4-D ₅ , 98%) CP 95% | 100 µg/mL in methanol |
| DLM-11012 | 5β-Pregn-3α,11β,21-triol-20-one (2,2,3,4,4-D ₅ , 98%) CP 95% | neat |
| ULM-11011-C | 5β-Pregn-3α,11β,21-triol-20-one (unlabeled) | 100 µg/mL in methanol |
| ULM-11011 | 5β-Pregn-3α,11β,21-triol-20-one (unlabeled) | neat |
| DLM-11013-C | 5β-Pregn-3α,17,21-triol-11,20-dione (2,2,3,4,4-D ₅ , 98%) | 100 µg/mL in methanol |
| DLM-11013 | 5β-Pregn-3α,17,21-triol-11,20-dione (2,2,3,4,4-D ₅ , 98%) | neat |
| DLM-8753 | 5β-Pregn-3α,17α,20-triol (20,21,21,21-D ₄ , 98%) (mix of 20α and 20β) | neat |
| DLM-10413 | 5β-Pregnane-3α-20α-diol (2,2,3,4,4-D ₅ , 98%), 99% CP 95% | neat |
| CLM-10412 | 5β-Pregnane-3α-20α-diol glucuronide, sodium salt (2,3,4,20,21- ¹³ C ₅ , 99%) CP 95% | neat |
| DLM-3910 | 5α-Pregnane-3α,21-diol-20-one (17,21,21-D ₃ , 95%) | neat |
| ULM-10385 | 5α-Pregnane-3α,21-diol-20-one (unlabeled) | neat |
| DLM-3816 | 5α-Pregnane-3,20-dione (1,2,4,5,6,7-D ₆ , 95%) | neat |
| DLM-9901 | 5β-Pregnane-3,20-dione (2,2,4,4,17α,21,21-D ₈ , 98%) CP 97% | neat |
| CLM-10010-C | 4-Pregnen-21-ol-3,20-dione (2,3,4- ¹³ C ₃ , 99%) | 100 µg/mL in methanol |
| CLM-10010 | 4-Pregnen-21-ol-3,20-dione (2,3,4- ¹³ C ₃ , 99%) | neat |
| DLM-11249 | 4-Pregnen-21-ol-3,20-dione (2,2,6,6,17,21,21-D ₇ , 96%) | neat |
| DLM-7228 | 4-Pregnen-21-ol-3,20-dione (2,2,4,6,6,17,21,21-D ₈ , 96%) CP 97% | neat |
| ULM-10011-C | 4-Pregnen-21-ol-3,20-dione (unlabeled) | 100 µg/mL in methanol |
| ULM-10011 | 4-Pregnen-21-ol-3,20-dione (unlabeled) | neat |

Chemical purity (CP) is 98% or greater, unless otherwise specified. MPT (microbiological and pyrogen tested) may be available; please inquire.
For research use only. Not for use in diagnostic procedures.

| Catalog No. | Description | Concentration |
|----------------|--|---|
| DLM-6896 | Pregnenolone (17,21,21,21-D ₄ , 98%) | neat |
| CDLM-9158-C | Pregnenolone (20,21- ¹³ C ₂ , 99%; 16,16-D ₂ , 98%) | 100 µg/mL in acetonitrile |
| CDLM-9158 | Pregnenolone (20,21- ¹³ C ₂ , 98%; 16,16-D ₂ , 98%) | neat |
| ULM-9159-C | Pregnenolone (unlabeled) | 100 µg/mL in methanol |
| ULM-9159 | Pregnenolone (unlabeled) | neat |
| CDLM-9160 | Pregnenolone sulfate, sodium salt (20,21- ¹³ C ₂ , 99%; 16,16-D ₂ , 98%) | neat |
| ULM-9161 | Pregnenolone sulfate, sodium salt (unlabeled) | neat |
| CLM-457 | Progesterone (3,4- ¹³ C ₂ , 90%) | neat |
| CLM-9162-C | Progesterone (2,3,4- ¹³ C ₃ , 99%) | 100 µg/mL in acetonitrile |
| CLM-9162-B | Progesterone (2,3,4- ¹³ C ₃ , 99%) | 50 µg/mL in acetonitrile |
| CLM-9162 | Progesterone (2,3,4- ¹³ C ₃ , 99%) | neat |
| CLM-10414 | Progesterone (2,3,4,20,21- ¹³ C ₅ , 99%) | neat |
| DLM-7953-1.2 | Progesterone (2,2,4,6,6,17 α ,21,21,21-D ₉ , 98%) | 100 µg/mL in <i>p</i> -dioxane |
| DLM-7953 | Progesterone (2,2,4,6,6,17 α ,21,21,21-D ₉ , 98%) | neat |
| ULM-8219-1.2 | Progesterone (unlabeled) | 100 µg/mL in <i>p</i> -dioxane |
| DLM-3627 | Prostaglandin A2 (3,3,4,4-D ₄ , 98%) | 500 µg/mL in methyl acetate |
| DLM-3728 | Prostaglandin E1 (3,3,4,4-D ₄ , 98%) | 500 µg/mL in methyl acetate |
| DLM-3628 | Prostaglandin E2 (3,3,4,4-D ₄ , 98%) | 500 µg/mL in methyl acetate |
| DLM-3558 | Prostaglandin-F2 α (3,3,4,4-D ₄ , 98%) | Please inquire |
| DLM-7457 | Sodium 17 β -estradiol 3-sulfate (2,4,16,16-D ₄ , 98%) (stabilized with 50% w/w Tris) | neat |
| DLM-7456 | Sodium estrone 3-sulfate (2,4,16,16-D ₄ , 98%) (stabilized with 50% w/w Tris) | neat |
| ULM-8132 | Sodium estrone 3-sulfate (unlabeled) | neat |
| DLM-9503 | Stigmasterol (2,2,3,4,4-D ₅ , 98%) | neat |
| CLM-159 | Testosterone (3,4- ¹³ C ₂ , 99%) | neat |
| CLM-9164-C | Testosterone (2,3,4- ¹³ C ₃ , 99%) | 100 µg/mL in methanol |
| CLM-9164 | Testosterone (2,3,4- ¹³ C ₃ , 99%) | neat |
| DLM-683-1.2 | Testosterone (1,2-D ₂ , 98%) | 100 µg/mL in methylene chloride |
| DLM-683 | Testosterone (1,2-D ₂ , 98%) | neat |
| DLM-6224-C | Testosterone (16,16,17-D ₃ , 98%) | 100 µg/mL in methanol |
| DLM-6224 | Testosterone (16,16,17-D ₃ , 98%) | neat |
| DLM-8085-D-1.2 | Testosterone (2,2,4,6,6-D ₅ , 98%) | 100 µg/mL in dioxane |
| DLM-8085-1.2 | Testosterone (2,2,4,6,6-D ₅ , 98%) | 100 µg/mL in methylene chloride |
| DLM-8085 | Testosterone (2,2,4,6,6-D ₅ , 98%) | neat |
| ULM-8081-1.2 | Testosterone (unlabeled) | 100 µg/mL in methylene chloride |
| DLM-8265 | Testosterone diacetate (testosterone-D ₄ , acetate methyl-D ₆ , 98%) | neat |
| DLM-11016-C | 3 α ,5 β -Tetrahydraldosterone (2,2,4,4,6,6-D ₆ , 98%) CP 95% | 100 µg/mL in acetonitrile |
| DLM-11016 | 3 α ,5 β -Tetrahydraldosterone (2,2,4,4,6,6-D ₆ , 98%) CP 95% | neat |
| ULM-9163 | 3 α ,5 β -Tetrahydraldosterone (unlabeled) | neat |
| CLM-6725 | L-Thyroxine (T4) (tyrosine-ring- ¹³ C ₆ , 99%) CP 90% | neat |
| CLM-8931 | L-Thyroxine (T4) (ring- ¹³ C ₁₂ , 99%) CP 97% | neat |
| ULM-8184 | L-Thyroxine (T4) (unlabeled) | neat |
| CLM-10596 | 3,3',5-Triiodo-L-thyronine (T3) (ring- ¹³ C ₁₂ , 99%) CP 94% | neat |
| CLM-7185-C | 3,3',5-Triiodo-L-thyronine (T3)-HCl (ring- ¹³ C ₆ , 99%) | 100 µg/mL 0.1 N NH ₃ in methanol |
| CLM-7185 | 3,3',5-Triiodo-L-thyronine (T3)-HCl (ring- ¹³ C ₆ , 99%) CP 95% | neat |
| ULM-10573-C | 3,3',5-Triiodo-L-thyronine (T3)-HCl (unlabeled) CP 95% | 100 µg/mL 0.1 N NH ₃ in methanol |
| ULM-10573 | 3,3',5-Triiodo-L-thyronine (T3)-HCl (unlabeled) CP 95% | neat |
| CLM-10601-C | Reverse 3,3',5-triiodo-L-thyronine (rev T3)-HCl (diiodophenyl-ring- ¹³ C ₆ , 99%) | 100 µg/mL 0.1 N NH ₃ in methanol |
| CLM-10601 | Reverse 3,3',5-triiodo-L-thyronine (rev T3)-HCl (diiodophenyl-ring- ¹³ C ₆ , 99%) CP 95% | neat |
| ULM-10602-C | Reverse 3,3',5-triiodo-L-thyronine (rev T3)-HCl (unlabeled) CP 95% | 100 µg/mL 0.1 N NH ₃ in methanol |
| DLM-10026 | Triamcinolone hexacetonide (16,17-isopropylidenedioxy-D ₆ , 98%) | neat |
| DLM-6989 | Tryptamine-HCl (α , α , β , β -D ₄ , 97%) | neat |

Chemical purity (CP) is 98% or greater, unless otherwise specified. MPT (microbiological and pyrogen tested) may be available; please inquire.
For research use only. Not for use in diagnostic procedures.

Example References

- de Kleijne, V.H.; Heijboer, A.C.; de Jonge, R.; et al. **2022**. Supercharging reagents in LC-MS/MS hormone analyses: Enhancing ionization, not limit of quantification. *J Chromatogr B Analyt Technol Biomed Life Sci*, 1204, 123337-123345.
- Ney, L.J.; Felmingham, K.L.; Bruno, R.; et al. **2021**. Chloroform-based liquid-liquid extraction and LC-MS/MS quantification of endocannabinoids, cortisol and progesterone in human hair. *J Pharm Biomed Anal*, 201, 114103-114110.
- Lübcker, N.; Bloem, L.M.; du Toit, T.; et al. **2020**. What's in a whisker? High-throughput analysis of twenty-eight C₁₉ and C₂₁ steroids in mammalian whiskers by ultra-performance convergence chromatography-tandem mass spectrometry. *J Chromatogr B Analyt Technol Biomed Life Sci*, 1141, 122028.
- Szterk, A.; Sitkowski, J.; Bocian, W. **2019**. UPLC-MS/MS determination of steroid hormones via a novel reaction based on derivatisation by a cyclic-organophosphate. *Talanta*, 204, 415-423.
- Swart, A.C.; Johannes, I.D.; Sathyapalan, T.; et al. **2019**. The effect of soy isoflavones on steroid metabolism. *Front Endocrinol (Lausanne)*, 10, 229-238.
- Artabe, A.E.; González-Gago, A.; Fernández, A.S.; et al. **2019**. Isotope dilution LC-ESI-MS/MS and low resolution selected reaction monitoring as a tool for the accurate quantification of urinary testosterone. *J Pharm Biomed Anal*, 163, 113-121.
- Stanczyk, F.Z.; Xu, X.; Sluss, P.M.; et al. **2018**. Do metabolites account for higher serum steroid hormone levels measured by RIA compared to mass spectrometry? *Clin Chim Acta*, 484, 223-225.
- Omar, T.F.T.; Aris, A.Z.; Yusoff, F.M.; et al. **2017**. An improved SPE-LC-MS/MS method for multiclass endocrine disrupting compound determination in tropical estuarine sediments. *Talanta*, 173, 51-59.
- Heussner, K.; Rauh, M.; Cordasic, N.; et al. **2017**. Adhesive blood microsampling systems for steroid measurement via LC-MS/MS in the rat. *Steroids*, 120, 1-6.

Please visit isotope.com for a complete list of isotope-labeled compounds.



Research products are distributed and sold worldwide via our extensive network.

CIL's distributor listing is available at isotope.com.

To request a quotation or place an order:

North America: 1.800.322.1174 | 1.978.749.8000 | cilsales@isotope.com

International: +1.978.749.8000 | intlsales@isotope.com

Fax: 1.978.749.2768 | isotope.com



Cambridge Isotope Laboratories, Inc. 3 Highwood Drive, Tewksbury, MA 01876 USA

North America: 1.800.322.1174 | International: +1.978.749.8000 | fax: +1.978.749.2768 | isotope.com

MET_RSCH_STEROIDS (4/5/24)
Supersedes all previously published literature